

## Refine Search

### Search Results -

Terms	Documents
(sip or session near protocol) and L121	2

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L126

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Thursday, August 30, 2007    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L126</u> (sip or session near protocol) and L121	2	<u>L126</u>
<u>L125</u> (string or digit or character or pattern) near match\$ and L121	2	<u>L125</u>
<u>L124</u> 1107 and L121	0	<u>L124</u>
<u>L123</u> 1107and L121	13	<u>L123</u>
<u>L122</u> 151 and L121	1	<u>L122</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>		
<u>L121</u> (20030210694 or 20020188744 or 20040235463) or (6411705 or 6188760 or 6098094 or 4785408 or 5384829 or 6424660 or 6144848 or 6744865 or 5029199).pn.	13	<u>L121</u>
<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>		
<u>L120</u> FRIEDER-OPHIR!	29	<u>L120</u>
<u>L119</u> BURGER-ERIC-WILLIAM!	10	<u>L119</u>
<u>L118</u> BURGER-ERIC-W!	12	<u>L118</u>

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L117</u>	(sip or session near protocol) and L116	12	<u>L117</u>
<u>L116</u>	quarantin\$3 same (string or digit or character or pattern)	162	<u>L116</u>
<u>L115</u>	quarantin\$3 near2 (string or digit or character or pattern)	9	<u>L115</u>
<u>L114</u>	(string or digit or character or pattern) near match\$ and L110	16	<u>L114</u>
<u>L113</u>	L8 and L110	11	<u>L113</u>
<u>L112</u>	L18 and L110	0	<u>L112</u>
<u>L111</u>	(sip or session near protocol) and L110	2	<u>L111</u>
<u>L110</u>	((user near input or click\$3 or button or key near press or key near depress)) near discard\$3	278	<u>L110</u>
<u>L109</u>	(sip or session near protocol) and L108	89	<u>L109</u>
<u>L108</u>	(telephone or handheld or pda or palm near pilot or phone) and L107	920	<u>L108</u>
<u>L107</u>	(touch near screen and speech) and (monitor\$3 or detect\$3) with ((user near input or click\$3 or button or key near press or key near depress))	1090	<u>L107</u>
<u>L106</u>	(touch near screen and speech) and L105	15	<u>L106</u>
<u>L105</u>	(string or digit or character or pattern) near match\$3 with (user near input or click\$3 or button or key near press or key near depress)	392	<u>L105</u>
<u>L104</u>	(user near input or click\$3 or button or key near press or key near depress)near event and L103	12	<u>L104</u>
<u>L103</u>	L99 and L102	324	<u>L103</u>
<u>L102</u>	event near (notif\$6 or register\$6 or subscri\$6)	11360	<u>L102</u>
<u>L101</u>	(sip or session near protocol) and L100	21	<u>L101</u>
<u>L100</u>	L99 and (string or digit or character or pattern) near match\$3	907	<u>L100</u>
<u>L99</u>	(telephone or handheld or pda or palm near pilot or phone) with (speech or touch near screen)	34468	<u>L99</u>
<u>L98</u>	(subscri\$6 and notif\$6) and L97	94	<u>L98</u>
<u>L97</u>	(string or digit or character or pattern) near match\$3 and (touch near screen and speech)	392	<u>L97</u>
<u>L96</u>	pattern near match\$3 and (touch near screen and speech)	274	<u>L96</u>
<u>L95</u>	(sip or session near protocol) and L94	58	<u>L95</u>
<u>L94</u>	(touch near screen and speech) and L93	447	<u>L94</u>
<u>L93</u>	((register\$5 near (subscr\$6 or notif\$5)) or (register\$5 or subscription)) with (telephone or handheld or pda or palm near pilot or phone)	40741	<u>L93</u>
<u>L92</u>	L88 and L91	12	<u>L92</u>
<u>L91</u>	((monitor\$3 or detect\$3 or obatin\$3) near (user near input or click\$3 or button or key near press or key near depress))	8497	<u>L91</u>
<u>L90</u>	L18 and L88	1	<u>L90</u>
<u>L89</u>	L48 and L88	0	<u>L89</u>
<u>L88</u>	(user near input or click\$3 or button or key\$1press) with (touch near screen and speech)	468	<u>L88</u>
<u>L87</u>	(monitor\$3 or detect\$3) with (dtmf near (digit or character or string)) with (touch near screen or speech)	27	<u>L87</u>
<u>L86</u>	(monitor\$3 or detect\$3) with (dtmf near (digit or character or string)) and touch	9	<u>L86</u>

near screen and speech		
<u>L85</u>	touch near screen and L84	9 <u>L85</u>
<u>L84</u>	speech and L83	132 <u>L84</u>
<u>L83</u>	(subscri\$6 and notif\$6) and L82	174 <u>L83</u>
<u>L82</u>	(monitor\$3 or detect\$3) with (dtmf near (digit or character or string))	607 <u>L82</u>
<u>L81</u>	(key\$1pad near markup near language or kpml)	12 <u>L81</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L80</u>	'6041053'.pn.	1 <u>L80</u>
<u>L79</u>	'6041053'.pn.	1 <u>L79</u>
<u>L78</u>	'6701369'.pn.	1 <u>L78</u>
<u>L77</u>	'6738779'.pn.	1 <u>L77</u>
<u>L76</u>	'6785677'.pn.	1 <u>L76</u>
<i>DB=PGPB; PLUR=YES; OP=OR</i>		
<u>L75</u>	'20030125931'.pn.	1 <u>L75</u>
<u>L74</u>	'20030125931'.pn.	1 <u>L74</u>
<u>L73</u>	'20030204703'.pn.	1 <u>L73</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L72</u>	(sip or session near protocol) and L68	11 <u>L72</u>
<u>L71</u>	(sip or session near protocol) and L70	2 <u>L71</u>
<u>L70</u>	L21 and L68	3 <u>L70</u>
<u>L69</u>	L18 and L68	0 <u>L69</u>
<u>L68</u>	(pattern near match\$3 or key near press or string) with ((long\$3 or short\$3 or specific) near match)	385 <u>L68</u>
<u>L67</u>	L62 and L66	25 <u>L67</u>
<u>L66</u>	(long\$3 or short\$3) near match\$3	6026 <u>L66</u>
<u>L65</u>	(sip or session near protocol) and (subscri\$6 and notif\$6) and L62	37 <u>L65</u>
<u>L64</u>	L62 and L63	3 <u>L64</u>
<u>L63</u>	(sip or session near protocol) same (subscri\$6 and notif\$6)	666 <u>L63</u>
<u>L62</u>	(monitor\$3 or detect\$3 or obatin\$3) near (user near input or click\$3 or button or key near press or key near depress)	8497 <u>L62</u>
<u>L61</u>	L21 and L60	179 <u>L61</u>
<u>L60</u>	L57 and (telephone or handheld or pda or palm near pilot or cell\$5 or phone)	2970 <u>L60</u>
<u>L59</u>	L58 and (telephone or handheld or pda or palm near pilot or cell\$5 or phone)	6 <u>L59</u>
<u>L58</u>	reduc\$6 with network near traffic and L57	10 <u>L58</u>
<u>L57</u>	(register\$7 or subscri\$6 and notif\$6) near2 (user near input or click\$3 or button or key near press or key near depress)	5907 <u>L57</u>
<u>L56</u>	(subscri\$6 and notif\$6) near (user near input or click\$3 or button or key near press or key near depress)	9 <u>L56</u>
<u>L55</u>	(sip or session near protocol) and (subscri\$6 and notif\$6) with (user near input or click\$3 or button or key near press or key near depress)	26 <u>L55</u>
<u>L54</u>	(sip or session near protocol) with (subscri\$6 and notif\$6) with (user near input or click\$3 or button or key near press or key near depress)	4 <u>L54</u>

<u>L53</u>	reduc\$6 with network near traffic and L48	7	<u>L53</u>
<u>L52</u>	L48 and L51	13	<u>L52</u>
<u>L51</u>	(user near input or click\$3 or button or key near press or key near depress) near (telephone or handheld or pda or palm near pilot or cell\$5 or phone)	11946	<u>L51</u>
<u>L50</u>	L33 and L48	14	<u>L50</u>
<u>L49</u>	L21 and L48	3	<u>L49</u>
<u>L48</u>	(sip or session near protocol) with (subscri\$6 and notif\$6)	458	<u>L48</u>
<u>L47</u>	notif\$6 with (user near input or click\$3 or button or key near press or key near depress) near (telephone or handheld or pda or palm near pilot or cell\$5 or phone)	60	<u>L47</u>
<u>L46</u>	((monitor\$3 or detect\$3 or obatin\$3) near (user near input or click\$3 or button or key near press or key near depress)) with ((independent or concurren\$3) near application)	2	<u>L46</u>
<u>L45</u>	notif\$6 near application with (user near input or click\$3 or button or key near press or key near depress)	80	<u>L45</u>
<u>L44</u>	(register\$6 near (interest or subscription or notif\$6)) with (telephone or handheld or pda or palm near pilot or cell\$5 or phone)	96	<u>L44</u>
<u>L43</u>	(register\$6 near (interest or subscription or notif\$6)) near event with (telephone or handheld or pda or palm near pilot or cell\$5 or phone)	5	<u>L43</u>
<u>L42</u>	(user near input or click\$3 or button or key near press or key near depress) with (interest near (subscription or notif\$6 or register\$6))	25	<u>L42</u>
<u>L41</u>	(user near input or click\$3 or button or key near press or key near depress) with third adj party near application	52	<u>L41</u>
<u>L40</u>	(tdm or tdm or h.323) and L39	19	<u>L40</u>
<u>L39</u>	L37 and L38	506	<u>L39</u>
<u>L38</u>	(user near input or click\$3 or button or key near press or key near depress) with notif\$6	6058	<u>L38</u>
<u>L37</u>	((register\$5 near (subscr\$6 or notif\$5)) or (register\$5 or subscription)) with (telephone or handheld or pda or palm near pilot or cell\$5 or phone)	76244	<u>L37</u>
<u>L36</u>	(user near input or click\$3 or button or key near press or key near depress) with (register\$5 near (subscr\$6 or notif\$5))	42	<u>L36</u>
<u>L35</u>	L33 and L34	45	<u>L35</u>
<u>L34</u>	((monitor\$3 or detect\$3 or obatin\$3) near (user near input or click\$3 or button or key near press or key near depress)) same (telephone or handheld or pda or palm near pilot)	490	<u>L34</u>
<u>L33</u>	(user near input or click\$3 or button or key near press or key near depress) with (register\$5 or notif\$5)	25772	<u>L33</u>
<u>L32</u>	L30 and L31	7	<u>L32</u>
<u>L31</u>	(user near input or click\$3 or button or key near press or key near depress) near (register\$5 or notif\$5)	4061	<u>L31</u>
<u>L30</u>	((monitor\$3 or detect\$3 or obatin\$3) near (user near input or click\$3 or button or key near press or key near depress)) with (telephone or handheld or pda or palm near pilot)	220	<u>L30</u>
<u>L29</u>	((monitor\$3 or detect\$3 or obatin\$3) near (user near input or click\$3 or button or key near press or key near depress)) with notif\$6	107	<u>L29</u>

<u>L28</u>	L21 and L24	12	<u>L28</u>
<u>L27</u>	L25 and L26	137	<u>L27</u>
<u>L26</u>	third near party with application	9925	<u>L26</u>
<u>L25</u>	L21 and L4	8569	<u>L25</u>
<u>L24</u>	((register\$6 or subscri\$6) near (message or request or notif\$6)) with (telephone or handheld or pda or palm near pilot)	2695	<u>L24</u>
<u>L23</u>	((monitor\$3 or detect\$3 or obatin\$3) near (user near input or click\$3 or button or key near press or key near depress)) with (notif\$6 near application)	1	<u>L23</u>
<u>L22</u>	((monitor\$3 or detect\$3 or obatin\$3) near (user near input or click\$3 or button or key near press or key near depress)) with (notif\$6 near application) L21	8497	<u>L22</u>
<u>L21</u>	((monitor\$3 or detect\$3 or obatin\$3) near (user near input or click\$3 or button or key near press or key near depress))	8497	<u>L21</u>
<u>L20</u>	@pd<20040224 and L19	83	<u>L20</u>
<u>L19</u>	L8 and L18	169	<u>L19</u>
<u>L18</u>	L15 or L16 or L17	9442	<u>L18</u>
<u>L17</u>	(455/3.01  455/3.03).ccls.	772	<u>L17</u>
<u>L16</u>	(379/219  379/220.01  379/221.01  379/221.02  379/221.03  379/221.04  379/221.05  379/221.06  379/221.07  379/221.08  379/221.09  379/221.1  379/221.11  379/221.12  379/221.13  379/221.14  379/221.15  379/222  379/223  379/224  379/225  379/226  379/227  379/228  379/229  379/230  379/231  379/232  379/233  379/234  379/235  379/236  379/237  379/238  379/239).ccls.	7800	<u>L16</u>
<u>L15</u>	(719/318).ccls.	876	<u>L15</u>
	DB=USPT; PLUR=YES; OP=OR		
<u>L14</u>	'5524254'.pn.	1	<u>L14</u>
<u>L13</u>	'5768632'.pn.	1	<u>L13</u>
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L12</u>	shortest\$1match or longest\$1match	69	<u>L12</u>
<u>L11</u>	(buffer\$3 or queu\$3 or accumul\$3) near (user near input or key\$1press or button or click\$3) with (telephone or phone or palm near pilot or pda or handheld)	8	<u>L11</u>
<u>L10</u>	(sip or session near protocol) and (buffer\$3 or queu\$3 or accumul\$3) near (user near input or key\$1press or button or click\$3)	6	<u>L10</u>
<u>L9</u>	(sip or session near protocol) and L8	124	<u>L9</u>
<u>L8</u>	(buffer\$3 or queu\$3 or accumul\$3) near (event or user near input or key\$1press or button or click\$3)	7287	<u>L8</u>
<u>L7</u>	accum ulat\$3 with ((telephone or phone or palm near pilot or pda or handheld or speech) near (event or user near input or key\$1press or button or click\$3))	17	<u>L7</u>
	DB=USPT; PLUR=YES; OP=OR		
<u>L6</u>	'6052458'.pn.	1	<u>L6</u>
<u>L5</u>	'6081591'.pn.	1	<u>L5</u>
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L4</u>	(telephone or phone or palm near pilot or pda) near event with (register\$6 or notif\$7)	105	<u>L4</u>
<u>L3t</u>	imer and L1	82	<u>L3</u>

L2t ime\$3 and L1

335 L2

L1r efresh\$3 with subscri\$6

355 L1

END OF SEARCH HISTORY

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

kpml

Search

[Advanced Search](#)  
[Preferences](#)[New!](#) [View and manage your web history](#)

Web

Results 1 - 10 of about 87,600 for kpml. (0.18 seconds)

### KPML one-point access page

This page contains pointers to the current range of sources and executables for the grammar development environment **KPML**. It contains the latest available ...  
[www.purl.org/net/kpml](http://www.purl.org/net/kpml) - 1k - [Cached](#) - [Similar pages](#)

### SIPPING E. Burger Internet-Draft Brooktrout Technology, Inc ...

Abstract This document describes a SIP Event Package "**kpml**" that enables ... The **kpml** Event Package may be used to support applications consistent with the ...  
[tools.ietf.org/id/draft-ietf-sipping-kpml-07.txt](http://tools.ietf.org/id/draft-ietf-sipping-kpml-07.txt) - 118k - [Cached](#) - [Similar pages](#)

### Sipping Status Pages

[draft-ietf-sipping-kpml](#) Status: Published as RFC 4730 .... Generated from PyHt script /www/tools.ietf.org/wg/sipping/draft-ietf-sipping-kpml/index.pyht ...  
[tools.ietf.org/wg/sipping/draft-ietf-sipping-kpml/](http://tools.ietf.org/wg/sipping/draft-ietf-sipping-kpml/) - 50k - [Cached](#) - [Similar pages](#)  
[ [More results from tools.ietf.org](#) ]

### Kommunistiska Partiet, KPML(r) Alinsås

Kräver en läsare som klara rammar. ...  
[web.telia.com/~u32204559/](http://web.telia.com/~u32204559/) - 2k - [Cached](#) - [Similar pages](#)

### What is KPML?

The **KPML** system offers a robust, mature platform for large-scale grammar engineering that is particularly oriented to multilingual grammar development and ...  
[www.fb10.uni-bremen.de/anglistik/langpro/kpml/kpml-description.htm](http://www.fb10.uni-bremen.de/anglistik/langpro/kpml/kpml-description.htm) - 6k - [Cached](#) - [Similar pages](#)

### KPML permanent URL information

Development environment for large-scale grammars for NLG>  
[www.stir.ac.uk/crc/Computational-tools/kpml.html](http://www.stir.ac.uk/crc/Computational-tools/kpml.html) - 2k - [Cached](#) - [Similar pages](#)

### Kinetic Associates

Kinetic Associates, a multi-disciplined health, safety and technical writing organisation.  
[www.kpml.com/](http://www.kpml.com/) - 8k - [Cached](#) - [Similar pages](#)

### Kommunistiska partiet - Wikipedia, den fria encyklopedin

Kommunistiska Partiet, tidigare **KPML**(r), är ett svenskt kommunistiskt ... Partiet ändrade 1977 sitt namn från **KFML**(r) till **KPML**(r) för att markera ett ...  
[sv.wikipedia.org/wiki/Kommunistiska\\_Partiet](http://sv.wikipedia.org/wiki/Kommunistiska_Partiet) - 30k - [Cached](#) - [Similar pages](#)

### KPML(r) Örnsköldsvik

**KPML**(r) logo. **KPML**(r) ... rnsköldsviksavdelningen. Rådlinje. Denna sida har flyttat till följande adress: ... Rådlinje. ©1996-2001 **KPML**(r) Örnsköldsvik.  
[www.geocities.com/CapitolHill/4790/](http://www.geocities.com/CapitolHill/4790/) - 4k - [Cached](#) - [Similar pages](#)

### Internet Draft Database Index - draft-burger-sipping-kpml

Keypad Markup Language (**KPML**) is a markup language used in conjunction with SIP and HTTP to provide instructions to SIP User Agents for the reporting of ...  
[datatracker.ietf.org/drafts/draft-burger-sipping-kpml/](http://datatracker.ietf.org/drafts/draft-burger-sipping-kpml/) - 7k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)